

PRODUCT LIBRARY

STANDARD CABINET HARDWARE SYSTEMS

Pull-out baskets, drawer systems, hinges, slides,
lighting and cabinet accessories.

ZOVIAHOME

INTERNATIONAL EDITION



Hardware Systems

PUBLIC TECHNICAL EDITION

A curated reference for cabinet storage, movement, wardrobe and lighting options. Models and dimensions support early project selection. Final availability, compatibility and configuration are confirmed for each project. Prices and supplier-specific commercial terms are intentionally omitted from this public edition.

01 Pull-Out Storage Systems

02 Drawer Systems

03 Motion & Access

04 Hinges

05 Handles & Cabinet Accessories

06 Wardrobe Systems

07 Cabinet Lighting

08 Aluminum & Hanging Systems

01

Pull-Out Storage Systems

Baskets, tall-unit storage and corner solutions for kitchens and utility cabinetry.

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Hiller 3.0 Dish Pull-out Basket	303555	600	525x440x130	
			303554	700	625x440x130	
			303552	800	725x440x130	
			303551	900	825x440x130	
2		Hiller 3.0 Cookware Pull-out Basket	303565	600	525x440x130	
			303564	700	625x440x130	
			303562	800	725x440x130	
			303561	900	825x440x130	
3		Hiller 3.0 Spice Pull-out Basket	306291	300	250x430x435	
			306292	350	300x430x435	
			306293	400	350x430x435	
			306294	450	450x430x435	

Domestic Pull-out Baskets							
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	Description	BY PROJECT
1		Hiller 3.0 Corner Carousel	101081	900	765x500x(605-760)	Apply 900 Width deep left cabinet, door panel size 450MM	
			101082	900	765x500x(605-760)	900 Width right-deep cabinet, door panel size 450MM	
2		Hiller Magic Corner	101055	900	860x490x535	Apply 900 Width deep left cabinet, door panel size 450MM	
			101056	900	860x490x535	900 Width right-deep cabinet, door panel size 450MM	
3		Hiller Full-Extension Magic Corner	101148	900	680x480x590	Apply 900 width deep cabinets, door panel size 450MM, generic around	

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Heiler left system	401221	600	564*283*525	
			401222	700	664*283*525	
			401223	800	764*283*525	
			401224	900	864*283*525	
2		Starlight 2.0 power system	401401	600	564x664x182	
			401402	700	664x664x182	
			401403	800	764x664x182	
			401404	900	864x664x182	
			401451	600	564x664x256	
			401452	700	664x664x256	
			401453	800	764x664x256	
			401454	900	864x664x256	

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Linked Tall-Cabinet Pull-out Basket	202251	450/4 tiers	408*500*1320	
			202252	450/5 tiers	408*500*1620	
			202254	600/4 tiers	558*500*1320	
			202255	600/5 tiers	558*500*1620	
2		Hiller Tall Pull-out Basket	201181	Four Tiers 300	250x500x (1259-1659)	
			201182	V Tiers 300	250x500x (1659-2059)	
			201184	Four Tiers 400	350x500x (1259-1659)	
			201185	V Tiers 400	350x500x (1659-2059)	

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
3		tall cabinet rotating pull-out basket	202294	600 4 cabinets	550x510x(1376-1675))	
			202295	600 cabinets/5 tables	555*545* (1720-2020)	
			202296	600 cabinets/6 tables	555*545* (2020-2320)	

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		? The big, big dishes ?	HH-WD600	600	564*523*265	
			HH-WD700	700	664*523*265	
			HH-WD800	800	764*523*265	
			HH-WD900	900	864*523*265	
2		The giant pots are on their own.	HH-GJ600	600	564*523*186	
			HH-GJ700	700	664*523*186	
			HH-GJ800	800	764*523*186	
			HH-GJ900	900	864*523*186	
3		? Big-Handy-Stealing ?	HH-TL300	300	264*520*560	
			HH-TL350	350	314*520*560	
			HH-TL400	400	364*520*560	
			HH-TL450	450	414*520*560	
4		Ho-Choose-Polware (specification)	HH-ZGJ400	400	364*520*158	
			HH-ZGJ500	500	464*520*158	
			HH-ZGJ600	600	564*520*158	
			HH-ZGJ700	700	664*520*158	
			HH-ZGJ800	800	764*520*158	
			HH-ZGJ900	900	864*520*158	

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Hulk Medium-Specific Disk	HH-ZWD400	400	364*520*158	
			HH-ZWD500	500	464*520*158	
			HH-ZWD600	600	564*520*158	
			HH-ZWD700	700	664*520*158	
			HH-ZWD800	800	764*520*158	
			HH-ZWD900	900	864*520*158	
2		Hulk Light Suction - Kick-Sticking	HH-QTJ400	400	364*470*98	
			HH-QTJ500	500	464*470*98	
			HH-QTJ600	600	564*470*98	
			HH-QTJ700	700	664*470*98	
			HH-QTJ800	800	764*470*98	
			HH-QTJ900	900	864*470*98	


Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Bind-outbasket	CLL-150	100	110*460*590	
			CLL-200	150	160*460*590	
			CLL-250	200	210*460*581	
2		Aurora squirming.	JG-SC1000	1000	964*465*150	
			JG-SC900	900	864*465*150	
			JG-SC800	800	764*465*150	
3		sink-side pull-out basket	SCL-L	Left-hinged door	295*500*533	
			SCL-R	Right-hinged door	295*500*533	

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Tall-Cabinet Lift System	GSJ-600	600	564*500*550	
2		Two-Tier Tall-Cabinet Lift System	GSSJ-600	600	564*500*520	

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Two-Tier Wall-Cabinet Storage Rack	XFZW-600	600	6 ⁶ Lighting not included 1 ¹	
			XFZW-700	700	7 ⁷ Lighting not included 1 ¹	
			XFZW-800	800	8 ⁸ Lighting not included 1 ¹	
			XFZW-900	900	9 ⁹ Lighting not included 1 ¹	
			XFZW-600S	600	60 ⁶⁰ Lighting included 11 ¹¹	
			XFZW-700S	700	70 ⁷⁰ Lighting included 11 ¹¹	
			XFZW-800S	800	80 ⁸⁰ Lighting included 11 ¹¹	
			XFZW-900S	900	90 ⁹⁰ Lighting included 211 ²¹¹	
2		Concealed Folding Storage Rack	DGZD-600	600	600*325*82/444	
			DGZD-700	700	700*325*82/444	
			DGZD-800	800	800*325*82/444	
			DGZD-900	900	900*325*82/444	

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Tall Cabine	HH-QHJ600N	600	564*520*98	
2			HH-QFG600N		564*520*98	
3			HH-ZFG600N		564*520*158	
4			HH-ZWD600N		564*520*158	
5			HH-ZGJ600N		564*520*158	

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Texture	TLZW-A-300	Multi-tier organization for efficient space use	300*207*400	
			TLZW-A-400		400*207*400	
			TLZW-A-500		500*207*400	
2		Spice Storage Rack	TLZW-3002	2 tiers	300*150*300	
			TLZW-3003	3 tiers	300*150*478	
			TLZW-4002	2 tiers	400*150*300	
			TLZW-4003	3 tiers	400*150*478	
			TLZW-5002	2 tiers	500*150*300	
			TLZW-5003	3 tiers	500*150*478	
			TLZW-6002	2 tiers	600*150*300	
			TLZW-6003	3 tiers	600*150*478	


Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		The Shadow Gang	3186006	600	564*470*226	
			3187006	700	664*470*226	
			3187506	750	714*470*226	
			3188006	800	764*470*226	
			3189006	900	864*470*226	
2		Mirage Series Double Tiers	3186007	600	564*470*226	
			3187007	700	664*470*226	
			3187507	750	714*470*226	
			3188007	800	764*470*226	
			3189007	900	864*470*226	
3		The Shadow Series doubles	3186008	600	564*470*226	
			3188008	800	764*470*226	
			3189008	900	864*470*226	
4		It's a regular basket for the Shadow Series.	3186001	600	564*470*162	
			3187001	700	664*470*162	
			3187501	750	714*470*162	
			3188001	800	764*470*162	
			3189001	900	864*470*162	

Domestic Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Shadow Series Multifunctional	3186002	600	564*470*162	
			3187002	700	664*470*162	
			3187502	750	714*470*162	
			3188002	800	764*470*162	
			3189002	900	864*470*162	
2		Under-sink pull-out Basket	3188005	800	764*470*162	
			3189005	900	864*470*162	
3		Inner Draw Multifunctional	3184501	450	414*470*552	
			3184001	400	364*470*552	
			3183501	350	314*470*552	
			3183001	300	264*470*552	
4		Shadow Series	3182001	200	164*470*552	
			3181501	150	114*470*552	

Imported Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Kesseböhmer	01.02.0174	600	529*462*110mm	
			01.02.0194	700	629*462*110mm	
			01.02.0254	800	729*462*110mm	
			01.02.0234	900	829*462*110mm	
2		Kesseböhmer	01.02.0184	600	529*462*110mm	
			01.02.0204	700	629*462*110mm	
			01.02.0224	800	729*462*110mm	
			01.02.0244	900	829*462*110mm	
3		Pure Benabel.	01.02.3114	300	Width 300 CABinnet applies	
			01.02.3014	400	Width 400 capnet applies	

Imported Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Kesseböhmer Door-Mounted Organizer	01.02.0284	450	450*170*610	
			01.02.0272	600	600*170*610	
2		Kesseböhmer iMove Pull-Down Basket Single-Tier, Anthracite	01.04.2641	600	565*267*380	
			01.04.2651	800	765*267*380	
			01.04.2661	900	865*267*380	
3		Kesseböhmer iMove Pull-Down Basket Double-Tier, Anthracite	01.04.2621	600	565*267*565	
4		Kesseböhmer DISPENSA 90° Tall Pull-Out Pantry	01.01.3071	300	Internal height: 1900-2300 mm Cabinet width: 300 mm Min. depth: 500 mm	
			01.01.3081	400	Internal height: 1900-2300 mm Cabinet width: 400 mm Min. depth: 500 mm	

Imported Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Kesseböhmer linked Mid-health-cabinnet pull-outbasket	01.01.3191	1100	600*500*1100	
		Kesseböhmer linked tall-cabinnet pull-outbasket	01.01.3201	1700	450*500*1700	
		Kesseböhmer linked tall-cabinnet pull-outbasket	01.01.3221		600*500*1700	

Imported Pull-out Baskets						
No.	Image	Product	Model	Cabinet (mm)	Dimensions (mm)	BY PROJECT
1		Peka iMove Wall-cabinet pull-down Basket	02.04.4011	900	900* (285-330) * (677-980)	
2		Little housekeeper - Genya	02.02.1021	450	Width 450 capnet	
			02.02.1031	600	Width 600 CABinnet applies	
3		Rotating basket	01.01.3901	600	inside cabinet installation height : ?430mm suitable cabinet width : 600mm suitable cabinet depth :	

02

Drawer Systems



Drawer boxes, internal organization and movement options for daily-use storage.

Blum Drawer Systems						
No.	Image	Product	Model	Unit	Description	BY PROJECT
1		square gallery rail low-front drawer, external drawer, M-height compatible with soft-close push-to-open	378M27M0SA SK M CNV1SEIW	set	low-front drawer set (M-height, Type A drawer side), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 270mm, Silk White	
			378M35M0SA SK M CNV1SEIW	set	low-front drawer set (M-height, Type A drawer side), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 350mm, Silk White	
			378M40M0SA SK M CNV1SEIW	set	low-front drawer set (M-height, Type A drawer side), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 400mm, Silk White	
			378M45M0SA SK M CNV1SEIW	set	low-front drawer set (M-height, Type A drawer side), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 450mm, Silk White	
			378M50M0SA SK M CNV1SEIW	set	low-front drawer set (M-height, Type A drawer side), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 500mm, Silk White	
2		square gallery rail high-front drawer, external drawer, D-height compatible with soft-close push-to-open	378M27M0SA FAZ D CNV1SEIW	set	high-front drawer set (D-height), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 270mm, gallery rail, Silk White	
			378M35M0SA FAZ D CNV1SEIW	set	high-front drawer set (D-height), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 350mm, gallery rail, Silk White	
			378M40M0SA FAZ D CNV1SEIW	set	high-front drawer set (D-height), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 400mm, gallery rail, Silk White	
			378M45M0SA FA+SA CNV1SEIW	set	high-front drawer set (D-height), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 450mm, gallery rail + frosted glass, Silk White	
			378M50M0SA FA+SA CNV1SEIW	set	high-front drawer set (D-height), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 500mm, gallery rail + frosted glass, Silk White	




Blum Drawer Systems						
No.	Image	Product	Model	Unit	Description	BY PROJECT
1		square gallery rail high-front drawer, external drawer, C-height compatible with soft-close push-to-open	378M27M0SA FAZ C CNV1SEIW	set	high-front drawer set (C-height), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 270mm, gallery rail, Silk White	
			378M35M0SA FAZ C CNV1SEIW	set	high-front drawer set (C-height), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 350mm, gallery rail, Silk White	
			378M40M0SA FAZ C CNV1SEIW	set	high-front drawer set (C-height), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 400mm, gallery rail, Silk White	
			378M45M0SA FAZ C CNV1SEIW	set	high-front drawer set (C-height), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 450mm, gallery rail, Silk White	
			378M50M0SA FAZ C CNV1SEIW	set	high-front drawer set (C-height), soft-close push-to-open dedicated runner, runner load capacity 30kg, nominal length 500mm, gallery rail, Silk White	
2		High-front panel (C-height) compatible with soft-close push-to-open	770C27S0S FAZ C CNV1OG-M	set	LEGRABOX Pure drawer set C-height (193mm), nominal length 270mm, runner load capacity 40kg, Orion Gray	
			770C35S0S FAZ C CNV1OG-M	set	LEGRABOX Pure drawer set C-height (193mm), nominal length 350mm, runner load capacity 40kg, Orion Gray	
			770C40S0S FAZ C CNV1OG-M	set	LEGRABOX Pure drawer set C-height (193mm), nominal length 400mm, runner load capacity 40kg, Orion Gray	
			770C45S0S FAZ C CNV1OG-M	set	LEGRABOX Pure drawer set C-height (193mm), nominal length 450mm, runner load capacity 40kg, Orion Gray	
			770C50S0S FAZ C CNV1OG-M	set	LEGRABOX Pure drawer set C-height (193mm), nominal length 500mm, runner load capacity 40kg, Orion Gray	

Blum Drawer Systems						
No.	Image	Product	Model	Unit	Description	BY PROJECT
1		LEGRABOX Pure Low-Front Drawer (M-height), compatible with soft-close push-to-open	770M27S0S SK M CNV1OG-M	set	LEGRABOX drawer set M-height nominal length 270mm runner load capacity 40kg, Orion Gray	
			770M35S0S SK M CNV1OG-M	set	LEGRABOX drawer set M-height nominal length 350mm runner load capacity 40kg, Orion Gray	
			770M40S0S SK M CNV1OG-M	set	LEGRABOX drawer set M-height nominal length 400mm runner load capacity 40kg, Orion Gray	
			770M45S0S SK M CNV1OG-M	set	LEGRABOX drawer set M-height nominal length 450mm runner load capacity 40kg, Orion Gray	
			770M50S0S SK M CNV1OG-M	set	LEGRABOX drawer set M-height nominal length 500mm runner load capacity 40kg, Orion Gray	
2		LEGRABOX Internal Low-Front Drawer Set	770M45S0S ISK M CNV1OG-M ZV7.1043C01VORD-ST 12OG-M	set	LEGRABOX internal low-front drawer set M-height (106mm), nominal length 450mm, runner load capacity 40kg, Orion Gray (including internal front connector, internal drawer front panel)	
			770M50S0S ISK M CNV1OG-M ZV7.1043C01VORD-ST 12OG-M	set	LEGRABOX internal low-front drawer set M-height (106mm), nominal length 500mm, runner load capacity 40kg, Orion Gray (including front connector, internal drawer front panel)	
		LEGRABOX Internal High-Front Drawer Set	770C45S0S IAZ C CNV1OG-M ZV7.1043C01VORD-ST 12OG-M ZR7.1080U RELING 20OG-M	set	Internal high-front drawer set (C-height), nominal length 450mm, runner load capacity 40kg, Orion Gray (including internal front connector, internal drawer front panel, internal high-front gallery rail)	
			770C50S0S IAZ C CNV1OG-M ZV7.1043C01VORD-ST 12OG-M ZR7.1080U RELING 20OG-M	set	LEGRABOX internal high-front drawer set (C-height), nominal length 500mm, runner load capacity 40kg, Orion Gray (incorporated front connector, internal drawer front panel)	

Blum Drawer Systems						
No.	Image	Product	Model	Unit	Description	BY PROJECT
1		Luxury	378M45B0SA ISK-A M CNSEIW Z31L1036A VORD-ST 12SEIW	set	Internal high-front dragr set (D-health), nominal left 450, 30kg, gally tail, Silk White, including pre-dumping Board	
2		Luxury and luxurious and luxurious.	378M45B0SA IAZ D CNV1SEIW ZRG.1046Z RELING 20SEIW Z31L1036A VORD-ST 12SEIW	set	Low-front dragr set, M(106mm) high, nominal length 450, 30kg, Silk White, contains inner prepasscade and cos roll	

Blum Drawer Accessories						
No.	Image	Product	Model	Unit	Description	BY PROJECT
1		Strip metal	T60L7140 TOB R+LV1R735	set	Type S1, capable for NL270-300, load capacity 10-20kg	
2			T60L7540 TOB R+LV1R737	set	L3 type, capable for NL 350-650, load capacity 15-40kg	
3		Luxury metal	T60B3530 TOB R+LV1R737	set	L3 type, relevant for NL 350-650, load capacity 15-30kg	
4			T60B3130 TOB R+LV1R735	set	Type S1, capable for NL270-300, load capacity 10-20kg	
5		Drawer & Luxury Metal Series	T60.1125W WELLE V40 GR	set	suitable for 300-1400mm width cabinet	

Blum Drawer Accessories						
No.	Image	Product	Model	Unit	Description	BY PROJECT
1		cutlery tray (nominal length	ZSI.450BI3COR-BE CNV1IG/G	individual	Fit international low-front drain, cabinet 400-600mm	
2			ZSI.60VEI4 OR-BE CNV1IG/G	individual	Fit the international low-front drain, cabinet 600mm	
3			ZSI.90VKI4COR-KL CNV1IG/G	individual	Fits internal low-front drain, cabinet white 700-	
4		cutlery tray (nominal length	ZSI.500BI3DOR-BE CNV1IG/G	individual	Low-front drain, cabinet 400-600mm	
5			ZSI.60VEI6DOR-BE CNV1IG/G	individual	Low-front drain, cabinet 600mm	
6			ZSI.90VKI6COR-KL CNV1IG/G	individual	Low-front drain, cabinet	
7		Knife frame.	ZSZ.02M0 MESS-HA V1IG/G	individual	*5*260, appropriate	
8		Squaregallery resource	ZTH.0350 TEL-H CNV1R737	individual	(Product size material: ABS Gray, fit for higher than 300	

Blum Drawer						
No.	Image	Product	Model	Unit	Description	BY PROJECT
1		Electric server system pc	Z10A3000.03ANTR-EH V1R737	pc	Electric push-to-open transmission device	
			Z10T650AAN2TPR+ZUT V1 ROH	pc	Power Push-to-open cabinet pc set, fit for 700mm height, vertical	
			Z10NE030H24NG+ZU CNV1 S	set	Set (includes 24W power engine)	
Comment: Mover: one drawer with a pc set: one set capnet with a power set: one cabinet with one						

High-front drawer						
No.	Image	Product	Model	Color	Product specification (mm)	BY PROJECT
1		I'm a low-rent N-rated horse.	816606	Iron ash	270	
			816608		400	
			816610		500	
2		One hundred and sixty-seven in the N series.	816626	Iron ash	270	
			816628		400	
			816630		500	
3		The N-Standers smoke 199.	816636	Iron ash	270	
			816638		400	
			816640		500	

03


Motion & Access

Lift-up, folding, pocket and powered access solutions for cabinet doors.

Open the door, pc.						
No.	Image	Product	Model	Unit	Description	BY PROJECT
1		Power-saving devices on the vibrator.	23K2500 AV-HK CNV1HG/T	set	930-2800, capable for right at 205mm ~ 600mm, door panel roundness	
2		A power-saving device on a cloud display set B	23K2700 AV-HK CNV1HG/T	set	1730-5200 fit for head 205mm, door panel roundness	
3		Set A	22K2500 KRA+F CNV1HG/T	set	930-2800, capable for right at 205mm ~ 600mm, door panel roundness	
4		It's a power-saving device.	22K2700KRA+F CNV1HG/T	set	1730-5200 fit for head 205mm, door panel roundness	
5		compact flap stay	20K1300 KRA+B CNV1 NI	set	One, single-sided input frame range 500-1500. Instatement one, double the power radius. 2, two compact flight stay when wallinewidth is over 800. 3.	
6		drop-down door	FRBKFEPWSN9 SRXB78AMXXXXF	set	Pacta soft-close drop-down door, single set, booster, type W light	
7			FRBKFEPISN9 SRXB79AMXXXXF	set	Pacta soft-close drop-down door, single set, thruster, I medium	
8			FRBKFEXWSN9 SRXB78AMXXXXF	set	Pacta soft-close drop-down door, single set, closed, W light	
9			FRBKFEXISN9 SRXB78AMXXXXF	set	Pacta soft-close drop-down door, single set, auto-closed, I medium	

Open the door, pc.						
No.	Image	Product	Model	Unit		BY PROJECT
1		? Love to roll over the folding door set ?	22F1505 AV-HF CNV1HGIG	set		
2			22F1509 AV-HF CNV1HGIG	set		
3			22F1805 AV-HF CNV1HGIG	set		
4			22F1809 AV-HF CNV1HGIG	set		
5		Electric love flips over doors set	22F1505 AV-HF CNV1HGIG 23.A008 ANT+Z CNV1HGIG	set	Secured	
6			22F1509 AV-HF CNV1HGIG 23.A008 ANT+Z CNV1HGIG	set	Secured	
7			22F1805 AV-HF CNV1HGIG 23.A008 ANT+Z CNV1HGIG	set	Secured	
8			22F1809 AV-HF CNV1HGIG 23.A008 ANT+Z CNV1HGIG	set	Secured	
9		INDAU* Small and medium-sized random stop	04.02.0011	pc		

Open the door, pc.						
No.	Image	Product	Model	Unit	Description	BY PROJECT
1		Bounce the door.	08.25.8823	set	Door panel weight: < 35KG door panel head: 1900-2700mm door panel width: 440-750mm panel roundness: 18-25mm open direction: left	
2			08.25.8833	set	Door Panel weight: < 35KG door Panel Height: 1900-2700mm medium: 440-750mm panel roundness: 18-25mm open: right	
3		Insert door	08.25.8812	set	Door panel weight: 50 KG door panel head : 2301-2850mm door panel width: 300-900mm door panel roundness: 18-25mm open door direction: left or right	
4		Collapse the door	08.26.2048	set	Weight: 25 KG door Panel Height: 400-2500mm medium: 300-450mm medium	


Open the door, pc.						
No.	Image	Product	Model	Unit	Description	BY PROJECT
1		Refrigerator server system	Z10C500A ANTR+ZU V1R735	set	SERVO-DRIVE flex electric push-to-open set	
2		Power	23P5020 SCHALT V20 HGR Z10C5007 FU-EMPF V1R735	set	Electric push-to-open switch for lift-up door, symmetric, light Gray +SERVO-DRIVE flex electric push-to-open Wireless receiver for freezer/ refrigerator and dishwasher, R7035 light Gray	
3		power set	Z10NE04N.21NT+ZU CNV1 S	set	Set (including 72W power engine, powerable for multiple power or power-lift-up door)	
4			Z10NA40N.22NG+ZU CNV1 S	set	power set (with 24W power device, only used to connect a power or power-lift-up door)	

04

Hinges

Hinge families and mounting options for standard, framed and specialist applications.

Import hinge					
No.	Image	Product	Model	Description	BY PROJECT
1		107° full-overlay integrated soft-close hinge	75B1550	Plus 70.1503. BPABD (Hinge cover cap) 70T3504 (Hinge-cup cover cap)	
2		107° half-overlay integrated soft-close hinge	75B1650	BPABD (hinge cover cap) 70T3504 (hine-cup cover cap)	
3		107° inset integrated soft-close hinge	75B1750	BPABD (hinge cover cap) 70T3504 (hine-cup cover cap)	
4		100° full-overlay hinge	71M2550 MB V250BCOR	90M2550 (Hinge cover cap) 90M2550 (Hinge-cup cover cap)	
5		100° half-overlay hinge	71M2650 MB V250BCOR	Combined with 94M3603. BPABD	
6		100° inset hinge	71M2750 MB V250BCOR	BPABD (Hinge cover cap)	
7		155° full-overlay integrated soft-close hinge	71B7550 MB V125BCOR	70.4503. BPABD (Hinge cover cap) 70T754 (Hinge-cup cover cap)	

Import hinge					
No.	Image	Product	Model	Description	BY PROJECT
1		95° corner integrated soft-close hinge	79B9550	Plus 70.1503. BPABD (Hinge cover cap) 70T3504 (Hinge-cup cover cap)	
2		95° full overlay narrow-frame hinge	71T950A	70.1503. BP(hinge cover cap)	
3		drop-down door hinge	FRCK59RXXM	mid-Pacta hinge gray 900mm or more	
4		Door soft-close	970A1002	Collapse silence. Close the door.	
5		Full-overlay hinge door	973A0500.01	100 degrees full-overlay hinge, full overlay hinge	
6		half-overlay hinge door soft-close	973A0600	Fit 100° half-overlay hinge	
7		Inset Door Soft-Close Hinge	973A0700	Fit 100° inset hinge	




Import hinge					
No.	Image	Product	Model	Description	BY PROJECT
1		Crusade.	173L6130	crip-on hinge base, cross, 3mm mat high, screwdriver, long hole height reconciliation, steel	
2		Crusade.	173L6100	crip-on hinge base, cross, 0mm mat high, screwdriver, long hole height reconciliation, steel	
3		Word hinge	175H3100	crip-on hinge base, word, 0 mm mat High	
4		Push-to-open	956A1006 TIP-ONP250R736	TIP-ON push-to-open, long cash, buffer, subable for spring chain	
5		Short-to-open	956.1005S TIP-ON V1R736	TIP-ON Push-to-open (set), short, with magnet	


National Hinge						
No.	Image	Product	Model	Arm type	Notes	BY PROJECT
1		clip-on hinge	813104	Straight arms.	clip-on 3D reconciliations Power	
			813105	Mid turn		
			813106	Big Bent.		
2		105° ±3 aluminum-frame hinge	813371	Straight arms.	1, multi-dimensional reconciliation; 2, subable for door panel roundness; 19-3, subable for door panel width; 19-4, steel hinge cup + diplomatic arm cover	
			813372	Mid turn		
			813373	Big Bent.		
3		100° soft-close hinge	813141	Deep in the cabinet	1, multi-dimensional reconciliation; 2, subable for door panel roundness; 14-3, steel hinge cup + decoive arm cover 4, subable for 180° flat	
4		165° clip-on soft-close hinge	813357	Straight arm hinge	One, multi-dimensional reconciliation; two, subable for door panel	
		165° clip-on soft-close hinge	813358	center bend hinge		
		165° clip-on soft-close hinge	813359	Hinge		
5		Autoopener - Light	OT light automatic opener	Open the door.	Within 20KG door panel: 600x2700mm Internal	

05

Handles & Cabinet Accessories


Profiles, pulls, handles and cabinet details selected to suit each project.


Handle							
No.	Image	Product	Dimensions (mm) H × W	Color	Material	BY PROJECT	
1		Cabinet Handleless Profile	50*27	Matte Black	Aluminum alloy		
2		Cabinet Handleless Profile with Light Channel	45*20	Matte Black	Aluminum alloy		
3		Cabinet Handleless Profile	50*27	Custom Color	Aluminum alloy		
4		Cabinet Handleless Profile with Light Channel	45*20	Custom Color	Aluminum alloy		
5		"T" Handleless Profile (with light channel)	/	Matte Black	Aluminum alloy		
6		"T" Handleless Profile (without light channel)	/	Matte Black	Aluminum alloy		
7		"T" Handleless Profile (with light channel)	/	Matte Black	Aluminum alloy		
8		"T" Handleless Profile (without light channel)	/	Matte Black	Aluminum alloy		
9		Island Handleless Profile with Light Channel	/	Matte Black	Aluminum alloy		

Handle							
No.	Image	Product	Dimensions (mm) H × W	Color	Material	BY PROJECT	
1		L-hand.		Matte Black	Aluminum alloy		
2		G-hand.		Matte Black	Aluminum alloy		
3		Mother's Hands	20*36	Custom Color	Aluminum alloy		
4		M.P.		Matte Black	Aluminum alloy		
5		Recalculated.	148*45*13.5	Matte Black	Aluminum alloy		
6		Pull around.	Height command-made	Custom Color	stainless steel.		

Handle							
No.	Image	Product	Model	Dimensions (mm) H × W	Material	BY PROJECT	
1		Surface-mounted	BA07-320-M20	Aperture: 320mm length: 332mm width: 12mm height: 35mm	stainless steel.		
2			BA07-160-M20	Aperture distance: 160mm length: 172mm width: 12mm height: 35mm	stainless steel.		
2			JY-H05-128	pore distance: 128	stainless steel.		
			JY-H05-192	pore: 192			
			JY-H05-256	pore distance: 256			
			JY-H05-320	pore: 320			
			JY-H05-1056	pore distance: 1056			
3			JY-H14-128	pore distance: 128	stainless steel.		
			JY-H14-192	pore: 192			
			JY-H14-256	pore distance: 256			
			JY-H14-320	pore: 320			
			JY-H14-1056	pore distance: 1056			

Handle							
No.	Image	Product	Model	Dimensions (mm) H × W	Material	BY PROJECT	
1		Surface-mounted	KA19-1-M17	Single-hole head: 30mm diameter: 38mm	stainless steel platinum gold		
2			VA08-1-M2	Monopoly	Black		
3			KA28-320-M36	pore: 320 mm	stainless steel		
4			WA52-1-M37	Monopoly	stainless steel		

Hardware Accessories							
No.	Image	Product	Dimensions (mm) H × W	Color	Material	BY PROJECT	
1		Aluminum Rear Crossbar	45*20	Natural Brushed Aluminum	Aluminum alloy		
2		8 mm Glass Retaining Strip	12*14.5		Aluminum alloy		
3		ABS Adjustable Cabinet Leg	Adjustable Height		ABS		
4		Aluminum Adjustable Cabinet Leg	Adjustable Height		Aluminum alloy		
5		OAT 304 Stainless-Steel Cabinet Connector Screw	36		304 stainless steel		
6		Drain Collar	Φ65	Matte Black	Nylon		

Hardware Accessories							
No.	Image	Product	Dimensions (mm) H × W	Color	Material	BY PROJECT	
7		Air hole.	Φ35	Matte Black	stainless steel.		
8		Cabinenet stainless steel bound card	19.5*6	Custom Color	stainless steel.		
9		Plastic card	19.5*6	Gray	Plastic		
10		INDAU* Generic Surface-mounted					
11		INDAU* rectification panel (120)					
12		Trailer, stainless steel gas cylinder	(250 mm internal diameter)				
13		Heaven and earth			Carbon steel		

06

Wardrobe Systems

Interior wardrobe organization, racks, rails, safes, mirrors and rotating storage.

PUBLIC TECHNICAL EDITION

Wardrobe Functional Hardware					
Product	Image	Model	Cabinet (mm)	Description	BY PROJECT
The jewelry basket.		05.08.3360	600 boxes.	Colour: Daylight + Open size of almond skin: W564/W664/ subable for cover/ door/ open cabine; useful for full overlay / half overlay / column; instatement rule: inclusion does not require side boxes.	
		05.08.3380	800 cabinets.		
		05.08.3390	900 boxes.		
		05.08.3310	1,000 cabinets.		
Clothes flat blue.		05.08.1360	600 boxes.	Colour: Daylight + Open size of almond skin: W564/W664/ subable for cover/ door/ open cabine; useful for full overlay / half overlay / column; instatement rule: inclusion does not require side boxes.	
		05.08.1380	800 cabinets.		
		05.08.1390	900 boxes.		
		05.08.1310	1,000 cabinets.		
Pulla-outbasket		05.08.4360	600 boxes.	Colour: Daylight + Open size of almond skin: W564/W664/ subable for cover/ door/ open cabine; useful for full overlay / half overlay / column; instatement rule: inclusion does not require side boxes.	
		05.08.4380	800 cabinets.		
		05.08.4390	900 boxes.		
		05.08.4310	1,000 cabinets.		
The lingerie is blue.		05.08.7060	600 boxes.	Colour: Daylight + Open size of almond skin: W564/W664/ subable for cover/ door/ open cabine; useful for full overlay / half overlay / column; instatement rule: inclusion does not require side boxes.	
		05.08.7080	800 cabinets.		
		05.08.7090	900 boxes.		
		05.08.7010	1,000 cabinets.		
Tucker rack		05.08.2360	600 boxes.	Colour: Daylight + Open size of almond skin: W564/W664/ subable for cover/ door/ open cabine; useful for full overlay / half overlay / column; instatement rule: inclusion does not require side boxes.	
		05.08.2380	800 cabinets.		
		05.08.2390	900 boxes.		
		05.08.2310	1,000 cabinets.		

Wardrobe Functional Hardware					
Product	Image	Model	Cabinet (mm)	Description	BY PROJECT
Two and a password.		05.08.7020	900 boxes.	/	
		05.08.7030	1,000 cabinets.	/	
Password.		05.08.8060	600 boxes.	/	
		05.08.8090	900 boxes.	/	
		05.08.8010	1,000 cabinets.	/	
Enjoy the wardrobe rail.		05.08.6301	/	Hang on 3000 mm each	
General base		05.08.6004	/	"The general base."	
The center base.		05.08.6006	/	Centre Bottom (individual)	
L base		05.08.6008	/	L base (individual)	
T base		05.08.6010	/	T base (individual)	

Wardrobe Functional Hardware					
Product	Image	Model	Specification	Description	BY PROJECT
rotating shoe rack		05.08.5342	4 tiers	Colour: solar gold + open size of almond skin: pure weight 740 - insular skin depth takes 330 mm regulation: net width is greater than or equal to 764 mm and net depth is greater than or equal to	
		05.08.5352	6 tiers		
		05.08.5312	8 tiers		
		05.08.5322	10 tiers		
		05.08.5332	12 tiers		
Vertical:		05.08.7040	280 depth	Daylight + almond skin	
		05.08.7050	480 depth		
Up and down		05.08.5261	600-800mm	juya ash application range: suitable cabinet netwidth 560-institution rule: integration head > 900mm	
		05.08.5291	800-1100mm		
Rotating, mirroring.		05.08.5053	/	Colour: black open size: W304x mm;	
Pull your whole body mirror.		05.08.5051	/	Colour: juya ash open dimensions: W350xH1100x30mm regulation: suitable cabinet depth	

Wardrobe Functional Hardware					
Product	Image	Model	Specification	Description	BY PROJECT
shoe rack		05.08.1061	⁵ Skillable cabinet , netwidth	Elephant Grey + Juya Grey	
		05.08.1081	⁷ Skillable cabinet , netwidth		
		05.08.1091	⁸ Skillable cabinet , netwidth		
Drawer Fingerprint Lock		05.08.5072	118x30mm, product depth 20mm	/	
Organisation 4 pc sets		05.08.5011	412x135x50mm	The cortex is unseparated.	
		05.08.5021		The leather ring.	
		05.08.5031		Nagar for the leather watch.	
		05.08.5041		The cortex is separated from Nagar.	
The hidden box, orbital cover.		05.08.0010	Skillable cabinet netwidth	Pull the distance 500 mm.	

Wardrobe Functional Hardware					
Product	Image	Model	Specification	Description	BY PROJECT
Undergarments		706011S	564X475X86MM	Width 600	
		706012S	664X475X86MM	Width 700	
		706013S	764X475X86MM	Width 800	
		706014S	864X475X86MM	Width 900	
Decorations		706041S	564X475X50MM	Width 600	
		706042S	664X475X50MM	Width 700	
		706043S	764X475X50MM	Width 800	
		706044S	864X475X50MM	Width 900	
Multifunctional organizer		706001S	564X475X50MM	Width 600	
		706002S	664X475X50MM	Width 700	
		706003S	764X475X50MM	Width 800	
		706004S	864X475X50MM	Width 900	
Light basket		706031S	564X475X156MM	Width 600	
		706032S	664X475X156MM	Width 700	
		706033S	764X475X156MM	Width 800	
		706034S	864X475X156MM	Width 900	

Wardrobe Functional Hardware					
Product	Image	Model	Specification	Description	BY PROJECT
trouser rack		706021S	564X475X50MM	Width 600	
		706022S	664X475X50MM	Width 700	
		706023S	764X475X50MM	Width 800	
		706024S	864X475X50MM	Width 900	
Deep Skin Basket		706051S	564X475X256MM	Width 600	
		706052S	664X475X256MM	Width 700	
		706053S	764X475X256MM	Width 800	
		706054S	864X475X256MM	Width 900	
Capturing top rack		703502S	350X475X170MM	Width Zen 400mm	
rotating shoe rack		703591S	685X370X(1910-2110) MM	width thorium 800mm (12 times)	
		703592S	685X370X(1630-1830) MM	width thorium 800mm (10 times)	
		703593S	685X370X(1350-1550) MM	Width ?800mm (8 times)	
		703594S	685X370X(1070-1270) MM	width thi-800mm (6 times)	

Wardrobe Functional Hardware					
Product	Image	Model	Specification	Description	BY PROJECT
Top		706202S	700X (1900-2100) MM	The cabinet.	
Safe		703297S	450X425X205MM	Width thorium 490mm	
watch winder		706154S	410X300X205MM		
I'm going to put up the mirror.		706161S	400X55X1700MM	H > 1700mm	
Ellipse		706191S	3000mm	3000X17X35MM	
Ellipse hangs the wardrobe rail tube		703660S	/	28X22X75MM	

Wardrobe Functional Hardware					
Product	Image	Model	Cabinet (mm)	Specification (mm)	BY PROJECT
Soft-close		6110160	560-568	564*469*184	
		6110170	660-668	664*469*184	
		6110180	760-768	764*469*184	
		6110190	860-868	864*469*184	
Soft-close clothing basket		6110260	560-568	564*469*169	
		6110270	660-668	664*469*169	
		6110280	760-768	764*469*169	
		6110290	860-868	864*469*169	
Soft-clos		6110360	560-568	564*469*85	
		6110370	660-668	664*469*85	
		6110380	760-768	764*469*85	
		6110390	860-868	864*469*85	
You know, soft-closer rack		6110460	560-568	564*469*65	
		6110470	660-668	664*469*65	
		6110480	760-768	764*469*65	
		6110490	860-868	864*466*65	
Soft-closer		6110660	560-568	564*469*65	
		6110670	660-668	664*469*65	
		6110680	760-768	764*469*65	
		6110690	860-868	864*469*65	

Wardrobe Functional Hardware						
Product		Model	Cabinet (mm)	Specification (mm)	BY PROJECT	
Soft-close top		611200		335*460*126		
Soft-closer top hanger		6111300		92*460*126		
		6111301		92*360*126		
Soft-closer lift		6111606	Width inside cabine 564-764	(564-764) X148X860		
		6111607	Width inside Gabinet 764-	(764-1068) X148X860		
multifunctional set		6092100	≥ 764	Φ710 *H(1910-2110)		

Wardrobe Functional Hardware						
Product	Image	Model	Cabinet (mm)	Specification (mm)	BY PROJECT	
360° Rotating 8 times shoot rack Lafayette		6112303	Over 764	700*360*(1350-1550)		
360 degrees 10 feet ahead of Lafayette.		6112305	Over 764	700*360*(1630-1830)		
360° Rotating 12 times shoot rack Lafayette		6112304	Over 764	700*360*(1910-2110)		

Wardrobe Functional Hardware						
Product	Image	Model	Cabinet (mm)	Specification (mm)	BY PROJECT	
pull-out rotating mirror		6092502	>400	18*320*900		
pull-out rotating mirror (rounded corners)		6112500	>280	42*350*1000		
Square hanger.		6113000	Aluminum alloy			
		6113001	Zinc alloy + ABS plastic			
High		6093160	564	pc		
		6093180	764	pc		
		6093190	864	pc		
Starrobe rail		6092960	564	pc		
		6092980	764	pc		
		6092990	864	pc		

Wardrobe Functional Hardware						
Product	Image	Model	Cabinet (mm)	Specification (mm)	BY PROJECT	
Multifunctional ring organizer		6093700		150*410*55		
watch organizer		6093800		150*410*55		
Leather organizer		6093900		267*330*80		
Leather		6094000		467* 414*260 (large) 367* 364* 210 (medium)		
Multifunctional organizer (small)		6093600		150*410*55		
Multifunctional organizer (large)		6094200		260*410*55		

07

Cabinet Lighting

Integrated lighting, drivers and sensors for cabinets, wardrobes and display storage.

Lighting					
Image	Product	Model	Cabinet Size	BY PROJECT	
	LED recessed cabinet interior light strip	31132	400 cabinet		
			450 cabinet		
			500 cabinet		
			600 cabinet		
			700 cabinet		
			800 cabinet		
			900 cabinet		
			1000 cabinet		
	LED recessed hand-wave sensing light strip	31132M	400 cabinet		
			450 cabinet		
			500 cabinet		
			600 cabinet		
			700 cabinet		
			800 cabinet		
			900 cabinet		
			1000 cabinet		

Lighting					
Image	Product	Model	Cabinet Size	BY PROJECT	
	LED recessed inside cabinet angled light strip	31133	400 cabinet		
			450 cabinet		
			500 cabinet		
			600 cabinet		
			700 cabinet		
			800 cabinet		
			900 cabinet		
			1000 cabinet		
	LED surface-mounted single-door-activated sensor drawer light	20924	500 cabinet		
			600 cabinet		
			700 cabinet		
			800 cabinet		
			900 cabinet		
			1000 cabinet		
			1100 cabinet		
			1200 cabinet		

Lighting					
Image	Product	Model	Cabinet Size	BY PROJECT	
	LED surface-mounted dual-door-activated sensor base-cabinet light	20924B	500 cabinet		
			600 cabinet		
			700 cabinet		
			800 cabinet		
			900 cabinet		
			1000 cabinet		
			1100 cabinet		
			1200 cabinet		
	LED clip-on rear-mounted glass-shelf light	31045-3500k	Custom-made to glass dimensions		
	LED rear-mounted glass-shelf light	31032-3500k	Custom-made to glass dimensions		
	LED rear-mounted glass-shelf light	31040-3500k	Custom-made to glass dimensions		
	LED flexible LED strip	DZ5-2025-150-10000-1500-WW-6W/M-CRI>90	DC 12V 150 LEDs 2025 LED/M, 6W/M, 2M/roll, 1 light 1 set, LED color temperature: 3000K/3500K/4000K, CRI>90, Dimension: 2000x5mm		
	LED silicone-sleeved LED strip	L0410-6000-WW	DC 12V 168 LEDs 2835 LED, 7.5 W/M, CRI > 90, LED color tyature: 3000 K/4000 K/6000 K aviable, dimensions: 2000x4xH10mm, lead fire 1.5M24#white stripe eectralwire with 9105-MP, 2M/		

Lights - Power						
Image	Product	Model	Sensory mode	wattage	BY PROJECT	
	LED driver	LDE-A12V24W-WT		24 W		
		LDE-A12V60W-WT		60 W		
	centralized LED control touch dimmer switch	96681D-BL-GR-HY	touch sensing			
	centralized LED control single-door sensor switch	96608C-HY-BK	door-contact sensing			
	centralized LED control dual-door sensor switch	96609C-HY-BK	door-contact sensing			
	centralized LED control motion sensor switch	96638CB-HY-BK	motion sensing			
	centralized LED control hand-wave sensor switch	96618C-HY-BK	touch sensing			

Lighting					
Image	Product	Model	wattage	BY PROJECT	
	Junction Box	91505-91505MP-1000-WT			
	Extension Cable	91205-2000-WT			
	Wired LED Single-Door Sensor Switch	96608C-BK			
	Wired LED Double-Door Sensor Switch	96609C-BK			
	Wired LED Hand-Wave Sensor Switch	96618C-J-BK			
	Wired LED Motion Sensor Switch	96638CB-BK			

08

Aluminum & Hanging Systems

Aluminum profiles and modular hanging accessories for flexible organization.

PUBLIC TECHNICAL EDITION

Aluminum Products							
No.	Image	Product	Color	Special Requirements	Maximum processing size	BY PROJECT	
1		outer tiles	matte black ? brushed gold				
2		storage rack	Porcelain bathing black, gold lace	Backlight	horizontal around two cells need to be accounted for separately m2		
				No backlight.			
3		Bogus.	Porcelain, gold, gray, gray.				
4		A truncheon.	gold				
5		Aluminium cabinet	Matte Black	Bring the light.	Deep 450		
				No light.			
		Aluminium cabinet		Bring the light.	Deep 350.		
				No light.			

Aluminum Products							
No.	Image	Product	Specification	Product	Model	BY PROJECT	
1		Hang up pc system	Top horizontal with pc glucose aluminium alloy; black	H8FTC top runner	ABFHOSTBO--H8FTC-2750		
2			Bottom horizontal aluminium alloy; black	Aluminium under H8LB	ABFHOSTBO--H8T2-2750		
3			Left/ Right Aluminium Vertical Aluminium Alloy; black	The H8L wall is surrounded.	ABFHOSTBO--H8L-2750		
4			mid-horizontal with pc glucose aluminium alloy; black	H8T2 runner	ABFHOSTBO--H8T2-2750		
5			Top / bottom hormone aluminium alloy; black	H8FC cap/ bottom aluminium	ABFHOSTBO--H8FC-2750		
		Hang up pc system with pc	Little hooks.	30W x 22H x 52Dmm	ABFH8--SOOKHOOK20		
			More storage shelves.	485W x 174H x 102Dmm	ABFH8--SO--RACK-485-6GDR		

Aluminum Products							
No.	Image	Product	Specification	Product	Model	BY PROJECT	
1		Hang up pc system with pc	485W x 80H x 80Dmm	Magnetic flavour rack	ABFH8--SOOKMSC5H-485		
2			670W x 190H x 128Dmm	Mark and Red.	ABFH8--SOOK6MWGSU		
3			135W x 320H x 173Dmm	Spoon rack.	ABFH8--SOOKWCUH-140		
4			100W x 280H x 121Dmm	The chopstick.	ABFH8--SOOKWMPM-100		
5			150W x 150H x 99Dmm	1515 frame	ABFH8--SOOKOS1515		
6			300W x 150H x 99Dmm	3015 Double frame	ABFH8--SOOKOS3015		
7			150W x 300H x 99Dmm	1530 frame	ABFH8--SOOKOS1530		

