



VERA

OUTDOOR KITCHEN
COLLECTION 2026-2027

Where professional craftsmanship meets outdoor living.

MORE THAN A KITCHEN

PRECISION. PERFORMANCE. PERMANENCE.

The VERA Collection redefines outdoor living with modular 304 stainless steel cabinetry. Engineered for architects, builders and designers, the system combines heavy-duty construction with refined aesthetics. Tool-free assembly and customizable configurations provide a complete solution for high-end outdoor environments.

Invest in durability. Deliver distinction. VERA goes beyond ordinary grilling through its commercial-specification framework and stone-embossed finishes. Every unit is engineered for efficient assembly, structural integrity and a calm architectural presence that remains relevant over time.

OPEN-AIR LIVING

WHY VERA

An outdoor kitchen is more than a place to cook. VERA gives architecture a durable, modular center for open-air living.

01 **PREMIUM 304 STAINLESS STEEL**

Commercial-grade 304 stainless steel offers superior corrosion and rust resistance, ensuring a lifetime of structural integrity and zero warping.

02 **ALUMINUM HONEYCOMB STRUCTURE**

Unlike standard laser-cut panels, VERA uses fully welded box-section frames for doors and cabinets, reinforced with an internal aluminum honeycomb core for maximum torsional rigidity without warping or sagging.

03 **WEATHER-RESISTANT FINISH**

Built for harsh outdoor climates, the premium powder-coat finish resists fading, chipping and scratching while maintaining its appearance for decades.

04 **TRUE MODULAR SYSTEM**

Standardized modular components allow flexible configurations: mix, match and expand to create the right outdoor kitchen layout for each project.

05 **304SS SOFT-CLOSE HARDWARE**

Precision-machined 304 stainless steel hinges, drawer slides and latches use factory-calibrated soft-close damping and IP-rated weather seals. They eliminate slamming in high winds, prevent impact damage and provide rust-free, quiet operation.




VERA

Built for the weather.
Resolved for architecture.
Made to remain.

DURABLE / MODULAR / ARCHITECTURAL

ENGINEERED BEYOND APPEARANCE

A layered material system built around 304 stainless steel, A5 honeycomb reinforcement and an 8 mm worktop.



MATERIAL SYSTEM

The cabinet, end panel and worktop are presented as one coordinated construction system.

- 01 8 MM SOLID STONE-EMBOSSSED 304SS WORKTOP**
An ultra-thick solid stainless steel work surface with a stone-embossed texture provides premium aesthetics and exceptional durability.
- 02 6-SIDED SEAMLESS 304 STAINLESS STEEL SUBSTRATE**
Fully welded 304 stainless steel panels, an internal box-section frame and an aluminum honeycomb core provide exceptional torsional rigidity with zero warping or panel flex.
- 03 WEATHER-RESISTANT POWDER COAT**
Premium outdoor-grade powder coating provides superior UV protection and scratch resistance, maintaining its finish for decades.
- 04 A5 HIGH-DENSITY ALUMINUM HONEYCOMB CORE**
Premium A5-grade aluminum honeycomb provides superior load capacity, excellent torsional rigidity and effective sound dampening for quiet operation.
- 05 BOX-SECTION HONEYCOMB PANEL**
Precision-bent 304 stainless steel panels form a rigid box-section frame bonded to the A5 honeycomb core for load capacity, torsional rigidity, deformation resistance and sound dampening.



VERA COLLECTION

01

TRUE MODULAR SYSTEM

Configure a compact grilling station or a full-scale outdoor kitchen. All VERA modules share standardized interfaces for efficient installation and extensive layout flexibility.

02

COMMERCIAL-GRADE STRUCTURE

Fully welded 304 stainless steel box-section frames are reinforced by A5 aluminum honeycomb cores and paired with an 8 mm solid stone-embossed 304 worktop and heavy-duty soft-close 304 hardware.

03

USER-CENTRIC DESIGN

Selected appliances include discreet LED accent lighting for safer low-light operation. Premium weather-resistant powder coating balances rugged durability with refined aesthetics.



RAISED PLINTH SYSTEM

- 01 **HYDROPHOBIC ISOLATION**
Deflects ground moisture.
- 02 **FREE HYDRO-DRAINAGE**
Prevents water pooling.
- 03 **+/-20 MM CALIBRATION FEET**
Levels uneven terrain.
- 04 **PASSIVE VENTILATION**
Inhibits mold and rust.
- 05 **ACCESSIBLE UNDERCARRIAGE**
Pressure-wash ready.
- 06 **SITE-TOLERANCE DESIGN**
Adapts to the landscape.



304 STAINLESS STEEL HARDWARE

CONTROLLED AT EVERY JOINT

Marine-grade hinges bring quiet movement, precise alignment and dependable outdoor service to every VERA cabinet door.

304SS / SOFT-CLOSE / QUICK RELEASE / TWO-STAGE
FORCE

01

MARINE-GRADE 304SS

Corrosion-resistant performance for demanding coastal and outdoor environments.

02

HYDRAULIC SOFT-CLOSE

Controlled closing protects doors and cabinet frames from repeated impact.

03

ONE-HAND RELEASE

Doors can be removed rapidly for inspection, cleaning and maintenance.

04

TWO-STAGE FORCE

Integrated tension control supports stable movement under uneven loads.



SIX-SIDED. FULLY WELDED.

Monolithic 304 stainless steel construction with zero moisture ingress.

Fully welded 304 stainless steel panels create true six-sided seamless integrity. An internal box-section frame and A5 aluminum honeycomb core provide exceptional torsional rigidity, zero moisture ingress and long-term maintenance-free performance.

A FULLY WELDED SEAMLESS EDGES

A continuous weld line across all six sides leaves no exposed cut edges and no dirt traps.

C FULLY WELDED 304SS SKINS

Zero gaps and zero moisture penetration eliminate rust from within.

B BOX-SECTION AND A5 HONEYCOMB CORE

Precision-bent 304SS panels form a rigid frame bonded to the A5 core for strength and sound dampening.

D SEALED HARDWARE MOUNTING

All mounting points are welded and sealed against water intrusion.




5-BURNER GRILL MODULE

OK-BBQ86

W860 x D610 x H905 mm

POWDER-COATED FINISHES



W70/08DB



W70/14DB



W70/01DB



W70/15DB



01

UNIVERSAL MODULAR STRUCTURE

Reversible core: gas cylinder or shelf. Universal rear panel fits every configuration. Streamlined BOM: 60% fewer parts. Lower inventory cost and less slow-moving stock.



02

ISLAND INSTALLATION READY

Optional factory rear finishing panel.



03

OPTIMIZED SHELF DESIGN

Front: easy access for tall gas cylinders. Open base: clear visibility at a glance.

SINK & PREP STATION

OK-XDQ86

W860 x D610 x H912 mm

POWDER-COATED FINISHES



W70/08DB W70/14DB W70/01DB W70/15DB



01

OPTIMIZED ON-SITE PLUMBING

An integrated service bay separates water supply, drainage and gas lines. Unused ports and hoses can be sealed for a clean, safe installation.



02

ISLAND INSTALLATION READY

Optional factory rear finishing panel.



03

SERVICE-FRIENDLY INTERIOR

A sealed storage compartment keeps cleaning supplies organized. The dedicated access panel allows plumbing service without removing the cabinet.



OUTDOOR REFRIGERATION MODULE

OK-BXG48

W480 x D610 x H912 mm

POWDER-COATED FINISHES



W70/08DB W70/14DB W70/01DB W70/15DB



01

CUBIGEL COMPRESSOR

Ultra-quiet, reliable
all-weather operation.



02

ISLAND INSTALLATION READY

Optional factory rear finishing
panel.



03

INTEGRATED RUBBER CABLE GROMMET

The sealed grommet blocks
moisture and dust while
allowing flexible cable routing.

DOUBLE DRAWER MODULE

OK-SCB86

W860 x D610 x H912 mm

POWDER-COATED FINISHES



W70/08DB W70/14DB W70/01DB W70/15DB



01

EXTRA-LARGE STORAGE

120 L extra-deep drawers maximize under-counter storage for bulky items.



02

ISLAND INSTALLATION READY

Optional factory rear finishing panel.



03

COMMERCIAL-GRADE SLIDES

Heavy-duty full-extension slides engineered for high loads.



SIDE BURNER MODULE

OK-DLG48

W480 x D610 x H912 mm

POWDER-COATED FINISHES



W70/08DB W70/14DB W70/01DB W70/15DB



01

SPACE-SAVING DESIGN

Without external plumbing, the cabinet becomes two-tier storage and the panel converts into a practical shelf.



02

ISLAND INSTALLATION READY

Optional factory rear finishing panel.



03

TWO-IN-ONE COMPARTMENT


Open the vent panel for safe air intake during gas use; close it for sealed, dust-resistant storage.

KAMADO GRILL MODULE

OK-DTM55

W550 x D610 x H640 mm


POWDER-COATED FINISHES



W70/08DB



W70/14DB



W70/01DB



W70/15DB



01

UNIVERSAL FUEL STORAGE

A spacious lower compartment stores standard charcoal bags and other grilling fuels.



02

ISLAND INSTALLATION READY

Optional factory rear finishing panel.



03

REINFORCED WORKTOP

Double-layer construction provides excellent load capacity.



SINGLE-DOOR UTILITY STORAGE

OK-DYM11L / OK-DYM11R

W250-600 x D610 x H912 mm

POWDER-COATED FINISHES



W70/08DB W70/14DB W70/01DB W70/15DB



01

CUSTOM WIDTH: 250-600 MM

Made to order for non-standard spaces and designed to align flush with adjacent VERA modules.



02

ISLAND INSTALLATION READY

Optional factory rear finishing panel.



03

ADJUSTABLE SHELF HEIGHT

Pre-set mounting holes enable tool-free adjustment for tall or bulky items.

DOUBLE-DOOR UTILITY STORAGE

OK-SYM99

W600-900 x D610 x H912 mm

POWDER-COATED FINISHES



W70/08DB W70/14DB W70/01DB W70/15DB



01

CUSTOM WIDTH: 600-900 MM

Made to order for non-standard spaces and designed to align flush with adjacent VERA modules.



02

ISLAND INSTALLATION READY

Optional factory rear finishing panel.



03


ADJUSTABLE SHELF HEIGHT

Pre-set mounting holes enable tool-free adjustment for tall or bulky items.

FINISHED END PANEL

OK - JGB18

H812 x D630 x T18 mm



01

PRE-DRILLED END-PANEL MOUNTING

Align and secure with a standard screwdriver. No drilling or on-site alignment work required.

02

LIGHTWEIGHT, STRUCTURALLY STRONG

A5 aluminum honeycomb provides high strength without excessive weight.

03

SEAMLESS ALL-AROUND PROTECTION

100% powder-coated stainless steel wraps every edge and corner with no exposed openings.

8 MM SOLID STEEL WORKTOP

OK-SXTM8

L250-6000 x W650 x T8 mm



01

SOLID, SUBSTANTIAL FEEL

8 mm solid steel. No hollow core, no compromise.
Exceptional rigidity.

02

TIMELESS FINISH

Natural stone character with lasting durability in
demanding outdoor environments.

03

8 MM SOLID CONSTRUCTION

Resists warping, sagging and vibration for long-term
heavy-duty performance.

BUILD YOUR VERA

SELECT LAYOUT

Mix interchangeable cabinets, appliances and accessories to suit the project.

SELECT COLOR

Four powder-coated finishes support different architectural settings.



BACK PANEL OPTION

Add matching rear panels when the back finishing panels are not required against



LAYOUT DETAILS

Crafted from weather-resistant stainless steel, VERA cabinet systems combine lasting practicality with refined aesthetics for year-round outdoor use. Recommended combinations include the built-in grill, worktops and plumbing fittings. Custom-sized grill base cabinets are available as an optional upgrade.



DRAWERS



REFRIGERATOR



SINK & FAUCET



SMOKER




SIDE BURNER



BBQ GRILL

All stated heights include an 8 mm worktop and may vary with countertop thickness.



K1

MODULAR OUTDOOR KITCHEN



YOUR BACKYARD ESCAPE

K1 is a compact three-module outdoor kitchen built around the 5-burner grill. Dedicated refrigeration and enclosed storage keep ingredients, tools and service items organized within a concise footprint.

CONFIGURATION

BBQ GRILL / REFRIGERATOR

W1880 x D630 x H920 mm



K1

Designed as a compact outdoor cooking station, K1 places the BBQ grill at the center with a single-door cabinet and refrigerator.

W1880 x D630 x H920 mm

FOUR POWDER-COATED CONFIGURATIONS



W70/08DB



W70/14DB



W70/01DB



W70/15DB

K1

COMPONENT SCHEDULE


Combination




OK-DYM11L48 x1



OK-BBQ86 x1



OK-BXG48 x1




OK-JGB18 x2



OK-SXTM8.51 x2

Size



K1

K3

MODULAR OUTDOOR KITCHEN

**LIVE THE GOOD LIFE**

K3 creates a complete linear cooking zone by combining the 5-burner grill, outdoor refrigeration, storage and an integrated sink. Preparation, cooking and cleanup stay connected in one calm architectural run.

CONFIGURATION

BBQ GRILL / REFRIGERATOR
/ SINK & FAUCET

W2740 x D630 x H920 mm



K3

K3 combines BBQ grill, refrigerator, storage and an integrated sink to create a complete outdoor cooking zone.

W2740 x D630 x H920 mm

FOUR POWDER-COATED CONFIGURATIONS



W70/08DB



W70/14DB



W70/01DB




W70/15DB


K3

COMPONENT SCHEDULE

Combination



Size



K3

K5

MODULAR OUTDOOR KITCHEN



THE HEART OF THE PARTY

K5 extends the system with a side burner, refrigeration, integrated sink and generous drawer storage. The longer layout keeps preparation, cooking and serving within one continuous working line.

CONFIGURATION

BBQ GRILL / REFRIGERATOR
/ SINK / DRAWERS / SIDE
BURNER

W3600 x D630 x H920 mm




K5


K5 adds a side burner, refrigerator, sink and generous drawer storage for continuous entertaining.

W3600 x D630 x H920 mm

FOUR POWDER-COATED CONFIGURATIONS



W70/08DB



W70/14DB



W70/01DB




W70/15DB

K5

COMPONENT SCHEDULE


Combination



OK-SCB86 x1



OK-BBQ86 x1



OK-BXG48 x1



OK-DLG48 x1



OK-XDQ86 x1



OK-JGB18 x2




OK-SXTM8:89 x1



OK-SXTM8:185 x1

Size



K5

K8

MODULAR OUTDOOR KITCHEN



A FEAST FOR EVERY PALATE

K8 brings together the grill, side burner, ceramic kamado, sink, refrigeration, drawers and double-door storage. It is the most complete VERA configuration for varied cooking methods and large-scale outdoor entertaining.

CONFIGURATION

BBQ / FRIDGE / SINK /
DRAWERS / SIDE BURNER /
KAMADO

W5046 x D630 x H920 mm



K8

K8 brings together grill, side burner, kamado, sink, refrigerator, drawers and double-door storage in one complete center.

W5046 x D630 x H920 mm

FOUR POWDER-COATED CONFIGURATIONS



W70/08DB



W70/14DB



W70/01DB




W70/15DB

K8

COMPONENT SCHEDULE

Combination



OK-SCB86 x1



OK-BBQ86 x1




OK-BXG48 x1



OK-DLG48 x1




OK-XDQ86 x1



OK-DTM55 x1



OK-SYM99.86 x1



OK-JG818 x4


OK-SXTM8.89 x1

OK-SXTM8.185 x1

OK-SXTM8.55 x1

OK-SXTM8.92 x1

Size



EQUIPMENT PARAMETERS



01 5-BURNER BUILT-IN GAS GRILL

Pro-grade built-in gas grill with a customizable powder-coated finish to match the cabinetry. 304 stainless steel double-walled arched hood, handle and warming rack. Cooking surface 800 x 420 mm. Five 304 stainless steel tube burners with five flame tamers; 12,000 BTU / 3.5 kW each, 60,000 BTU total. Battery-operated LED backlit control knobs and rear decorative skirt. Unit W860 x D550 x H475 mm. Packing W910 x D600 x H520 mm.



03 CERAMIC KAMADO GRILL

18-inch built-in ceramic kamado grill. Cast aluminum rainproof lid, 304 stainless steel waterproof thermometer and 304 stainless steel cooking grate. Includes fire bowl, fire ring, ash drip tray and multi-functional grilling system. Bamboo heat-resistant handle. Body diameter 45.7 cm / 18 in; grate diameter 38.5 cm / 15.2 in. Seven-layer corrugated carton. N.W. / G.W. 40 / 48 kg. Packing 57 x 52 x 64 cm.



05 DRAIN ASSEMBLY

SUS304 stainless steel with a brushed finish. 114 mm all-stainless-steel drain assembly.



07 STAINLESS STEEL FAUCET

304 stainless steel single-cold faucet with a polished-brushed finish. 360-degree swivel spout with full-coverage spray. Pull-down two-function spray head provides shower spray and aerated stream. Accessories include a counterweight system and one water inlet hose.



02 OUTDOOR REFRIGERATOR

304 stainless steel interior liner. Ultra-quiet Cubigel compressor, 60 W. Mechanical temperature control, approx. 1 C to 10 C. Blue LED interior lighting. IP44 waterproof rating for the cabinet body. Rust-resistant, height-adjustable chrome-plated shelves. Foamed-insulation 304 stainless steel door with zero-clearance concealed hinge. Compatible with an external matching decorative door panel.



04 SINGLE SIDE BURNER

Full 304 stainless steel construction with integrated light. 304 stainless steel cooking grate with 8 mm wire diameter. SABAF brass burner. Output 15,000 BTU / 4.35 kW. Product W320 x D520 x H170 mm. Packing W385 x D580 x H240 mm.



06 STAINLESS STEEL SINK

Internal dimensions 711.2 x 431.8 x 254 mm with R10 corner radius. SUS304 stainless steel with a brushed finish. Multi-level sink with optional functional accessories.



08 TELESCOPIC DRAIN PIPE

Ds25 single-bowl drain pipe. Specification 50-G2.

COLOUR CHART

SELECTED SINTERED STONE



NORLAND



WATER VEIL




SNOW MOUNTAIN
STONE



WHITE WOODGRAIN



ROMAN TRAVERTINE



WICK LIGHT GREY



CARMEN LIGHT GREY



NEW ARMANI GREY



CALAYA GREY



SHAKESPEARE BLACK



WICK DEEP GREY




MUNICH

SELECTED POWDER-COATED STAINLESS STEEL



IVORY WHITE



ADVANCED GREY



TITANIUM GREY



FALLEN PETAL GREY



SHELL WHITE



MOON GREY



MOSS GREEN



MATCHA MILK GREEN



SAND BAMBOO



AVOCADO GREEN



ELEGANT GREY



DEEP SPACE GREY

Colours shown are for selection reference only. Final production is subject to approved physical samples.

